


URS – DISPOSAL COLUMNS

KHEOPS




Strength

Accessibility

Customisable



DIMENSIONS



URS – DISPOSAL COLUMNS

KHEOPS

GENERAL FEATURES


- Disposal column with 2 finish options:
 - 2 mm thick stainless steel (AISI304)
 - 2 mm thick galvanised steel + cataphoresis + Epoxy paint
- These materials give it a perfect finish and enable it to withstand any environment it is exposed to.
- Its dimensions make it easy for users to access it and not take up much space on the road.
- It is easy to dismantle and all the inner components are easily accessible for replacement or maintenance purposes.
- All its versions are provided with a maintenance door to make servicing easy, to enable professionals to dispose of waste and so products causing obstruction inside can be accessed and dealt with.
- All the opening options are made of 2 mm thick stainless steel sheet (AISI 304).

EQUIPMENT AND ACCESSORIES

- Lifting systems: single hook, double hook, Kinshofer, F90.
- Customisation with signage made of monomeric vinyl + anti-graffiti coating or 3 mm thick printed polycarbonate. Measurements available: 420 x 300 mm for the front of the volumetric box and/or maintenance door.
- Pedal: it is provided with a slip-proof chequered sheet designed to prevent entrapment, equipped with a vandal-proof system and a silentblock mechanism to prevent noise.
- Volumetric box with volume limiter. Formats available: 40, 60, 80, 100 and 120 L.
- Double drum. Formats available: 80 and 120 L.

CERTIFICATIONS

- CE Marking.
- Standard UNE-EN-ISO 13071.
- Standards EN-ISO-9001: Quality Management Systems.
- Standard EN-ISO-14001: Environmental Management.
- Standard EN-ISO 14006 Ecodesign.
- Standard EN-ISO 450001.



URS – DISPOSAL COLUMNS

KHEOPS

CUSTOMISATION

Potential for customising the disposal column with different accessories to provide solutions adapted to each particular requirement.



PEDAL

Volumetric box without pedal is also an option.




SINGLE VOLUMETRIC BOX

Accepts rubbish bags up to 120 l.



CIRCULAR OPENING FOR GLASS

Measurement: Ø 200 mm



FLAP FOR PAPER AND PACKAGING

Usable dimension: 510 x 200 mm




VOLUMETRIC BOX WITH VOLUME LIMITER

Prevents the user from accessing the waste disposed of.



ACCESS CONTROL

Operated with a card.




LIFTING SYSTEM

Single hook, double hook, Kinshofer, F90.



CUSTOMISATION

Measurement: 420 x 300 mm for volumetric box and/or maintenance door.



ACCESS FOR GLASS IN BODY (WITHOUT VOLUMETRIC BOX)

Measurement: Ø 200 mm



ACCESS FOR PAPER IN BODY (WITHOUT VOLUMETRIC BOX)

Standard measurement: 485 x 162 mm
XL measurement: 854 x 166 mm